

# Weatherproof Telephones

## JR101-FK

Weatherproof Telephone, Full keypad, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JR101-FK (Analog model)
- JR101-FK-SIP (SIP/VoIP model)
- JR101-FK-4G (4G model)
- JR101-FK-3G (3G model)

## JR101-FK-L

Weatherproof Telephone, Full Keypad, Yellow, with LED lamp fixed on the top, Wall-Mounting



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JR101-FK-L (Analog model)
- JR101-FK-L-SIP (SIP/VoIP model)
- JR101-FK-L-4G (4G model)
- JR101-FK-L-3G (3G model)

## JR101-CB

Weatherproof Telephone, CB(hot line), Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JR101-CB (Analog model)
- JR101-CB-SIP (SIP/VoIP model)
- JR101-CB-4G (4G model)
- JR101-CB-3G (3G model)

## JR101-CB-L

Weatherproof Telephone, Hotline Phone, Yellow, with LED Lamp



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JR101-CB-L (Analog model)
- JR101-CB-L-SIP (SIP/VoIP model)
- JR101-CB-L-4G (4G model)
- JR101-CB-L-3G (3G model)

### JR101-3B

#### Weatherproof Telephone, 3 buttons for speed dial, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

#### Order Code

- JR101-3B (Analog model)
- JR101-3B-SIP (SIP/VoIP model)
- JR101-3B-4G (4G model)
- JR101-3B-3G (3G model)

### JR102-SC

#### Weatherproof Telephone, Speed dial, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

#### Order Code

- JR102-SC (Analog model)
- JR102-SC-SIP (SIP/VoIP model)
- JR102-SC-4G (4G model)
- JR102-SC-3G (3G model)

### JR102-2B

#### Weatherproof Telephone, 2 buttons for speed dial, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

#### Order Code

- JR102-2B (Analog model)
- JR102-2B-SIP (SIP/VoIP model)
- JR102-2B-4G (4G model)
- JR102-2B-3G (3G model)

### JR103-FK

#### Weatherproof Telephone, Full keypad, Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

#### Order Code

- JR103-FK (Analog model)
- JR103-FK-SIP (SIP/VoIP model)
- JR103-FK-4G (4G model)
- JR103-FK-3G (3G model)

### JR103-CB

Weatherproof Telephone, CB(hot line), Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

#### Order Code

- JR103-CB (Analog model)
- JR103-CB-SIP (SIP/VoIP model)
- JR103-CB-4G (4G model)
- JR103-CB-3G (3G model)

### JR104-SC

Weatherproof Telephone, Speed dial, Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

#### Order Code

- JR104-SC (Analog model)
- JR104-SC-SIP (SIP/VoIP model)
- JR104-SC-4G (4G model)
- JR104-SC-3G (3G model)

### JR104-2B

Weatherproof Telephone, 2 buttons for speed dial, Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

#### Order Code

- JR104-2B (Analog model)
- JR104-2B-SIP (SIP/VoIP model)
- JR104-2B-4G (4G model)
- JR104-2B-3G (3G model)

### JR105-FK

Weatherproof Telephone, Full keypad, Yellow, With LCD display



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

#### Order Code

- JR105-FK (Analog model)
- JR105-FK-SIP (SIP/VoIP model)
- JR105-FK-4G (4G model)
- JR105-FK-3G (3G model)

### JR101-FK-HB



Weatherproof Telephone, Full keypad, Yellow, With horn and beacon

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

#### Order Code

- JR101-FK-HB (Analog model)
- JR101-FK-HB-SIP (SIP/VoIP model)
- JR101-FK-HB-4G (4G model)
- JR101-FK-HB-3G (3G model)

### JR101-FK-H



Weatherproof Telephone, Full keypad, Yellow, With horn

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

#### Order Code

- JR101-FK-H (Analog model)
- JR101-FK-H-SIP (SIP/VoIP model)
- JR101-FK-H-4G (4G model)
- JR101-FK-H-3G (3G model)

### JR103-FK-HB



Weatherproof Telephone, Full keypad, Yellow, With horn and beacon

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

- JR103-FK-HB (Analog model)
- JR103-FK-HB-SIP (SIP/VoIP model)
- JR103-FK-HB-4G (4G model)
- JR103-FK-HB-3G (3G model)

### JR103-FK-H



Weatherproof Telephone, Full keypad, Yellow, With horn

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

- JR103-FK-H (Analog model)
- JR103-FK-H-SIP (SIP/VoIP model)
- JR103-FK-H-4G (4G model)
- JR103-FK-H-3G (3G model)

## JREX101



Explosion Proof Telephone, Full keypad, Orange, color (other colours on demand), with door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JREX101-Analog (Analog model)
- JREX101-SIP (SIP/VoIP model)

## JREX101-CB



Explosion Proof Telephone, Hotline, Orange color (other colours on demand), with door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JREX101-CB-Analog (Analog model)
- JREX101-CB-SIP (SIP/VoIP model)

## JREX103



Explosion Proof Telephone, Full keypad, Orange, color (other colours on demand), without door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JREX103-Analog (Analog model)
- JREX103-SIP (SIP/VoIP model)

## JREX103-CB



Explosion Proof Telephone, Hotline, Orange color (other colours on demand), without door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JREX103-CB-Analog (Analog model)
- JREX103-CB-SIP (SIP/VoIP model)

## JREX106



Explosion Proof Telephone,Stainless steel full keypad(20 keys),Yellow color(other colours on demand),with LCD display

Housed in a weatherproof GRP( Glass fibre-reinforced polyester) enclosure, IP67 rating

### Order Code

- JREX106-Analog (Analog model)
- JREX106-SIP (SIP/VoIP model)

## JREX106-CB



Explosion Proof Telephone,Hotline,without keypad,Orange color(other colours on demand)

Housed in a weatherproof GRP( Glass fibre-reinforced polyester) enclosure, IP67 rating

### Order Code

- JREX106-CB-Analog (Analog model)
- JREX106-CB-SIP (SIP/VoIP model)

## JREX101-HB



Explosion Proof Telephone,Full keypad,Orange color(other colours on demand),with door cover,with external Ex junction box,Ex Horn,Ex Beacon.

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

### Order Code

- JREX101-HB-Analog (Analog model)
- JREX101-HB-SIP (SIP/VoIP model)

## JREX106-HB



Explosion Proof Telephone,Stainless steel full keypad(20 keys),Orange color(other colours on demand),with LCD display

Housed in a weatherproof GRP( Glass fibre-reinforced polyester) enclosure, IP67 rating,with external Ex junction box,Ex Horn,Ex Beacon.

### Order Code

- JREX106-HB-Analog (Analog model)
- JREX106-HB-SIP (SIP/VoIP model)

# Handset Telephones

## JR201-FK



Handset Telephone, Full keypad, Gray color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

### Order Code

- JR201-FK (Analog model)
- JR201-FK-SIP (SIP/VoIP model)
- JR201-FK-4G (4G model)
- JR201-FK-3G (3G model)

## JR201-FK-VC



Handset Telephone, Full keypad, Brushed Stainless steel body, Wall mounted type. with volume control button

Housed in a anti-vandal metal enclosure, wall mounting type

### Order Code

- JR201-FK-VC (Analog model)
- JR201-FK-VC -SIP (SIP/VoIP model)
- JR201-FK-VC -4G (4G model)
- JR201-FK-VC -3G (3G model)

## JR202-FK



Handset Telephone, Full keypad, Gray color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

### Order Code

- JR202-FK (Analog model)
- JR202-FK-SIP (SIP/VoIP model)
- JR202-FK-4G (4G model)
- JR202-FK-3G (3G model)

## JR202-CB



Handset Telephone, CB(Hotline), Gray, color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

### Order Code

- JR202-CB (Analog model)
- JR202-CB-SIP (SIP/VoIP model)
- JR202-CB-4G (4G model)
- JR202-CB-3G (3G model)

### JR203-FK



Handset Telephone, Full keypad, Gray, color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

#### Order Code

- JR203-FK (Analog model)
- JR203-FK-SIP (SIP/VoIP model)
- JR203-FK-4G (4G model)
- JR203-FK-3G (3G model)

### JR204-FK



Handset Telephone, Full Keypad (16 keys), LCD display, Vandal Resistant steel body, Wall mounted type

Housed in a anti-vandal metal enclosure, wall mounting type, Red color and optional for Yellow, Blue, Gray

#### Order Code

- JR204-FK (Analog model)
- JR204-FK-SIP (SIP/VoIP model)
- JR204-FK-4G (4G model)
- JR204-FK-3G (3G model)

### JR205-FK



Handset Telephone, Full Keypad (16 keys), Brushed Stainless steel body, Wall mounted type

Housed in a anti-vandal metal enclosure, wall mounting type

#### Order Code

- JR205-FK (Analog model)
- JR205-FK -SIP (SIP/VoIP model)
- JR205-FK -4G (4G model)
- JR205-FK -3G (3G model)

### JR206-FK



Handset Telephone, Full keypad, Red color and optional for Yellow, Gray, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

#### Order Code

- JR206-FK (Analog model)
- JR206-FK-SIP (SIP/VoIP model)
- JR206-FK-4G (4G model)
- JR206-FK-3G (3G model)



### JR207-FK



Handset Telephone, Full keypad(16 keys), Red color and optional for Yellow, Gray, Blue

Housed in a weatherproof, anti-vandal metal enclosure, designed for Wall-mounting

#### Order Code

- JR207-FK (Analog model)
- JR207-FK-SIP (SIP/VoIP model)
- JR207-FK-4G (4G model)
- JR207-FK-3G (3G model)

### JR208-FK



Handset Telephone, Full keypad, Stainless steel body

Housed in a anti-vandal metal enclosure, flush mounting type

#### Order Code

- JR208-FK (Analog model)
- JR208-FK-SIP (SIP/VoIP model)
- JR208-FK-4G (4G model)
- JR208-FK -3G (3G model)

### JR208-CB



Handset Telephone, CB (hot line), Stainless steel body

Housed in a anti-vandal metal enclosure, flush mounting type

#### Order Code

- JR208-CB (Analog model)
- JR208-CB-SIP (SIP/VoIP model)
- JR208-CB-4G (4G model)
- JR208-CB-3G (3G model)

### JR209-FK



Handset Telephone, Full keypad (16 keys), Brushed Stainless steel body, Flush mounted type

Housed in a anti-vandal brushed stainless steel enclosure, flush mounting type

#### Order Code

- JR209-FK (Analog model)
- JR209-FK -SIP (SIP/VoIP model)
- JR209-FK -4G (4G model)
- JR209-FK -3G (3G model)

## JR210-1B



Handset Telephone, One button for speed dial, Vandal Resistant steel body, Wall mounted type

Housed in a weatherproof, anti-vandal metal enclosure, designed for Wall-mounting

### Order Code

- JR210-1B (Analog model)
- JR210-1B-SIP (SIP/VoIP model)
- JR210-1B-4G (4G model)
- JR210-1B-3G (3G model)

## JR211-FK



Handset Telephone, Full Keypad (12 keys), Vandal Resistant steel body, Desk mounted type.

Housed in a anti-vandal brushed stainless steel enclosure, desk mounting type

### Order Code

- JR211-FK (Analog model)
- JR211-FK-SIP (SIP/VoIP model)
- JR211-FK-4G (4G model)
- JR211-FK-3G (3G model)

## JR211-CB



Handset Telephone, CB (hot line), Vandal Resistant steel body, Desk mounted type

Housed in a anti-vandal metal enclosure, desk mounting type, Red color and optional for Yellow, Blue, Gray

### Order Code

- JR211-CB (Analog model)
- JR211-CB -SIP (SIP/VoIP model)
- JR211-CB -4G (4G model)
- JR211-CB -3G (3G model)

## JR212-FK



Handset Telephone, Full keypad, Brushed Stainless steel body, Wall mounted type. With volume control button and LCD display

Housed in a anti-vandal metal enclosure, wall mounting type

### Order Code

- JR212-FK (Analog model)
- JR212-FK-SIP (SIP/VoIP model)
- JR212-FK-4G (4G model)
- JR212-FK-3G (3G model)

### JR213-V-2B



IP Video Telephone with 7" screen and built-in camera, Two speed buttons, constructed of stainless steel, wall mounting type

#### Order Code

- JR213-V-2B-SIP (SIP/VoIP model)

### JR213-FK-SIP



IP Video Telephone with 10.1" screen and built-in camera, Full keypad, constructed of stainless steel, wall mounting type

#### Order Code

- JR213-FK-SIP (SIP/VoIP model)

# Handsfree Telephones

## JR301-SC



### Emergency Telephone, 1 Button, Autodial, Wall Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for Wall -mounting

#### Order Code

- JR301-SC (Analog model)
- JR301-SC-SIP (SIP/VoIP model)
- JR301-SC-4G (4G model)
- JR301-SC-3G (3G model)

## JR301-2B



### Emergency Telephone, 2 Buttons, Autodial, Wall Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for Wall-mounting

#### Order Code

- JR301-2B (Analog model)
- JR301-2B-SIP (SIP/VoIP model)
- JR301-2B-4G (4G model)
- JR301-2B-3G (3G model)

## JR301-SC-IW



### Emergency Telephone, 1 Button, Autodial, Flush Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for Flush-mounting

#### Order Code

- JR301-SC-IW (Analog model)
- JR301-SC-IW -SIP (SIP/VoIP model)
- JR301-SC-IW -4G (4G model)
- JR301-SC-IW -3G (3G model)

## JR301-2B-IW



### Emergency Telephone, 2 Buttons, Autodial, Flush Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for Flush -mounting

#### Order Code

- JR301-2B-IW (Analog model)
- JR301-2B-IW -SIP (SIP/VoIP model)
- JR301-2B-IW -4G (4G model)
- JR301-2B-IW -3G (3G model)

### JR301-SC-C1



Video Telephone with built-in camera, One speed button, constructed of stainless steel, flush mounting type

#### Order Code

- JR301-SC-C1-SIP (SIP/VoIP model)

### JR301-SC-C2



Video Telephone with built-in camera, built-in induction loop, one speed button with braille label, constructed of stainless steel face plate and cold rolled steel back cover, wall mounting type

#### Order Code

- JR301-SC-C2-SIP (SIP/VoIP model)

### JR302-SC



Emergency Telephone, 1Button, Autodial, Wall Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for Wall-mounting

#### Order Code

- JR302-SC (Analog model)
- JR302-SC-SIP (SIP/VoIP model)
- JR302-SC-4G (4G model)
- JR302-SC-3G (3G model)

### JR304-SC



Emergency Telephone, 1 Button, Autodial, Wall Mounting

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting

#### Order Code

- JR304-SC (Analog model)
- JR304-SC-SIP (SIP/VoIP model)
- JR304-SC-4G (4G model)
- JR304-SC-3G (3G model)

## JR305-SC



### Emergency Telephone, 1 Button, Autodial, Wall Mounting

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting or post mounting

#### Order Code

- JR305-SC (Analog model)
- JR305-SC-SIP (SIP/VoIP model)
- JR305-SC-4G (4G model)
- JR305-SC-3G (3G model)

## JR306-SC



### Emergency Telephone, 1 Button, Autodial, Wall Mounting

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting or post mounting

#### Order Code

- JR306-SC (Analog model)
- JR306-SC-SIP (SIP/VoIP model)
- JR306-SC-4G (4G model)
- JR306-SC-3G (3G model)

## JR309-FK



### Emergency Telephone, Full keypad, Flush Mounting

Housed in a weatherproof, Stainless Steel enclosure, full keypad, flush-mounting

#### Order Code

- JR309-FK (Analog model)
- JR309-FK-SIP (SIP/VoIP model)
- JR309-FK-4G (4G model)
- JR309-FK-3G (3G model)

## JR308-FK



### Emergency Telephone, Full keypad, Wall Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for wall-mounting

#### Order Code

- JR308-FK (Analog model)
- JR308-FK-SIP (SIP/VoIP model)
- JR308-FK-4G (4G model)
- JR308-FK-3G (3G model)

### JR313-SC



Emergency Telephone, 1 Button, Autodial, Wall Mounting, Yellow and optional for Yellow, Red, Blue.

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting.

#### Order Code

- JR313-SC (Analog model)
- JR313-SC-SIP (SIP/VoIP model)
- JR313-SC-4G (4G model)
- JR313-SC-3G (3G model)

### JR313-2B



Emergency Telephone, 2 Buttons, Autodial, Wall Mounting, Red color and optional for Yellow, Blue, Gray

Housed in a weatherproof, anti-vandal metal enclosure, designed for on wall -mounting

#### Order Code

- JR313-2B (Analog model)
- JR313-2B -SIP (SIP/VoIP model)
- JR313-2B -4G (4G model)
- JR313-2B -3G (3G model)

### JR314-SC



Emergency Telephone, 1 Button, Autodial, Flush Mounting, Red and optional for Yellow, Gray, Blue.

Housed in a weatherproof, anti-vandal metal enclosure, designed for flush-mounting

#### Order Code

- JR314-SC (Analog model)
- JR314-SC-SIP (SIP/VoIP model)
- JR314-SC-4G (4G model)
- JR314-SC-3G (3G model)

### JR505-SC



Emergency Elevator Telephone, 1 Buttons, Autodial, Wall Mounting

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall -mounting

#### Order Code

- JR505-SC (Analog model)
- JR505-SC-SIP (SIP/VoIP model)
- JR505-SC-4G (4G model)
- JR505-SC-3G (3G model)

## JR320-SC



Emergency Telephone, 1Button, Autodial, with LED lamp, Blue and color optional for Red, Yellow

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting or post mounting

### Order Code

- JR320-SC (Analog model)
- JR320-SC-SIP (SIP/VoIP model)
- JR320-SC-4G (4G model)
- JR320-SC-3G (3G model)

## JR321-SC



Emergency Telephone, 1Button, Autodial, Post Mounting, with lamp, Blue color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Standing along-mounting

### Order Code

- JR321-SC (Analog model)
- JR321-SC-SIP (SIP/VoIP model)
- JR321-SC-4G (4G model)
- JR321-SC-3G (3G model)

## JR321-SC-SP



Emergency Telephone, 1 Button, Autodial, Post Mounting, with lamp and solar panel, Blue color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Stand along-mounting

### Order Code

- JR321-SC-SP (Analog model)
- JR321-SC-SP-SIP (SIP/VoIP model)
- JR321-SC-SP-4G (4G model)
- JR321-SC-SP-3G (3G model)

## JR330-SC



Emergency Telephone, 1 Buttons, Autodial, Wall Mounting, Orange color, with lock key for open the door

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall –mounting or post mounting

### Order Code

- JR330-SC (Analog model)
- JR330-SC-SIP (SIP/VoIP model)
- JR330-SC-4G (4G model)
- JR330-SC-3G (3G model)



## JR316-4B



Industrial Intercom, 4Buttons, Autodial, Column Mounting, suitable for outdoor application, Orange color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Column-mounting

### Order Code

- JR316-4B (Analog model)
- JR316-4B -SIP (SIP/VoIP model)
- JR316-4B -4G (4G model)
- JR316-4B -3G (3G model)

## JR306-SC-SP



Emergency Telephone, 1Button, Autodial, Column Mounting, with LED light and solar panel, Orange color (other colours on demand)

Housed in a weatherproof, anti-vandal metal enclosure, designed for Column-mounting

### Order Code

- JR306-SC-SP (Analog model)
- JR306-SC-SIP-SP (SIP/VoIP model)
- JR306-SC-4G-SP (4G model)
- JR306-SC-3G-SP (3G model)

## JR315-SC



Emergency Help Point, 2Buttons, Autodial, with built-in induction loop, Column Mounting

Housed in a weatherproof, anti-vandal brushed stainless steel enclosure, designed for Column-mounting

### Order Code

- JR315-SC (Analog model)
- JR315-SC-SIP (SIP/VoIP model)
- JR315-SC-4G (4G model)
- JR315-SC-3G (3G model)

## JR-TP-01



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges Prepared for the containment of auxiliary circuits

Material: Made of galvanized steel, painted for outdoor use. It can be manufactured in stainless steel AIS304/AIS316L on demand.

Colour: yellow (other colours on demand)

Weight: 20 kg Dimensions (mm): 1500 x 300 x 300 mm

Fixing: on floor

### JR-TP-02



Emergency Telephone Pillar,painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material:Made of galvanized steel,It can be manufactured in stainless steel AIS304/AIS316L on demand.

Colour:yellow(other colours on demand)

Weight:25 kg Dimensions(mm):1500 x 300 x 300 mm

Fixing:on floor

### JR-TP-03



Emergency Telephone Pillar,painted for outdoor use. Can choose to add LED lights

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material:Made of galvanized steel,It can be manufactured in stainless steel AIS304/AIS316L on demand

Colour:Red(other colours on demand)

Weight:30 kg Dimensions(mm):1500 x 436 x 306 mm

Fixing:on floor

### JR-TP-04



Emergency Telephone Pillar,painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

With Solar panel mounting bracket which is adjustable on multiple directions

Material:Made of galvanized steel,It can be manufactured in stainless steel AIS304/AIS316L on demand.

Colour:Orange(other colours on demand)

Weight:45kg Dimensions(mm):2400 x 436 x 306 mm

Fixing:on floor

# Emergency Telephones Pillar

## JR-TH-01



Acoustic insulation: Noise Attenuation up to 23 dB  
Polyethylene plastic construction  
Durable, lightweight, chemical resistant body  
Excellent low temperatures impact properties  
High performance polyurethane acoustic insulation liner, resistant to mildew and rot  
Fire retardant class "0" rating  
Wall or pillar installation  
Can be used both indoors, outdoors and offshore  
Optional colors available upon request  
Weight: 25 kg    Dimensions(mm):500 x 680x 780 mm

## JR-TH-02



Acoustic insulation: Noise Attenuation up to 15 dB  
Polyethylene plastic construction  
Durable, lightweight, chemical resistant body  
Excellent low temperatures impact properties  
Can be used both indoors, outdoors and offshore  
Wall or pillar installation  
Optional colors available upon request  
Weight: 20 kg    Dimensions(mm):480 x 690x 800 mm

## JR-TH-04



Acoustic insulation: Noise Attenuation up to 15 dB  
Polyethylene plastic construction  
Durable, lightweight, chemical resistant body  
Excellent low temperatures impact properties  
Can be used both indoors, outdoors and offshore  
Wall or pillar installation  
Optional colors available upon request  
Weight: 18 kg    Dimensions(mm):640 x 580x 260 mm

## JR-TH-03



Standalone booth  
Robust metal construction  
Contain an inside lamp  
Fancy looking and modern  
Waterproof, can be used outdoors  
Noise reduction with door Up to 38dB  
Noise reduction without door Up to 25dB  
Optional colors and dimension available upon request  
Weight: 300 kg    Dimensions(mm):1100 x 1100x 2400 mm

### JR-BS-01



Beacon Sounder, robust engineering plastics construction, built-in 8ohm 10 watt speaker, DC12 powered

#### Order Code

- JR-BS-01 (Analog model)
- JR-BS-01-SIP (SIP/VoIP model)

### JRSP-SIP-01



SIP Speaker, robust engineering plastics construction, built-in 25 W Class D amplifier, Power over Ethernet (PoE) power supply

#### Order Code

- JRSP-SIP-01 (SIP model)