Weatherproof Telephones

JR101-FK

Weatherproof Telephone, Full keypad, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JR101-FK (Analog model)
 JR101-FK-SIP (SIP/VoIP model)
 JR101-FK-4G (4G model)
 JR101-FK-3G (3G model)

JR101-FK-L



Weatherproof Telephone, Full Keypad, Yellow, with LED lamp fixed on the top, Wall-Mounting

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

→ JR101-FK-L
 → JR101-FK-L-SIP
 → JR101-FK-L-4G
 → JR101-FK-L-3G
 (3G model)

JR101-CB

Weatherproof Telephone, CB(hot line), Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JR101-CB (Analog model)
 JR101-CB-SIP (SIP/VoIP model)
 JR101-CB-4G (4G model)
 JR101-CB-3G (3G model)

JR101-CB-L

Weatherproof Telephone, Hotline Phone, Yellow, with LED Lamp



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

→ JR101-CB-L
 → JR101-CB-L-SIP
 → JR101-CB-L-4G
 → JR101-CB-L-3G
 (3G model)

JR101-3B

Weatherproof Telephone, 3 buttons for speed dial, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

	JR101-3B	(Analog model)
>	JR101-3B-SIP	(SIP/VoIP model)
>	JR101-3B-4G	(4G model)
\triangleright	JR101-3B-3G	(3G model)

JR102-SC

Weatherproof Telephone, Speed dial, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

>	JR102-SC	(Analog model)
>	JR102-SC-SIP	(SIP/VoIP model)
>	JR102-SC-4G	(4G model)
	JR102-SC-3G	(3G model)

JR102-2B

Weatherproof Telephone, 2 buttons for speed dial, Yellow



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

	JR102-2B	(Analog model)
>	JR102-2B-SIP	(SIP/VoIP model)
>	JR102-2B-4G	(4G model)
\triangleright	JR102-2B-3G	(3G model)

JR103-FK

Weatherproof Telephone, Full keypad, Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

\triangleright	JR103-FK	(Analog model)
>	JR103-FK-SIP	(SIP/VoIP model)
>	JR103-FK-4G	(4G model)
\triangleright	JR103-FK-3G	(3G model)

JR103-CB

Weatherproof Telephone, CB(hot line), Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

JR103-CB (Analog model)
 JR103-CB-SIP (SIP/VoIP model)
 JR103-CB-4G (4G model)
 JR103-CB-3G (3G model)

JR104-SC

Weatherproof Telephone, Speed dial, Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

→ JR104-SC (Analog model)
 → JR104-SC-SIP (SIP/VoIP model)
 → JR104-SC-4G (4G model)
 → JR104-SC-3G (3G model)

JR104-2B

Weatherproof Telephone, 2 buttons for speed dial, Yellow, Without door



Housed in a weatherproof cast aluminium enclosure, IP66

Order Code

→ JR104-2B (Analog model)
 → JR104-2B-SIP (SIP/VoIP model)
 → JR104-2B-4G (4G model)
 → JR104-2B-3G (3G model)

JR105-FK

Weatherproof Telephone, Full keypad, Yellow, With LCD display



Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JR105-FK (Analog model)
 JR105-FK-SIP (SIP/VoIP model)
 JR105-FK-4G (4G model)
 JR105-FK-3G (3G model)

JR101-FK-HB



Weatherproof Telephone, Full keypad, Yellow, With horn and beacon

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JR101-FK-HB (Analog model)
 JR101-FK-HB-SIP (SIP/VoIP model)
 JR101-FK-HB-4G (4G model)
 JR101-FK-HB-3G (3G model)

JR101-FK-H



Weatherproof Telephone, Full keypad, Yellow, With horn

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

→ JR101-FK-H (Analog model)
 → JR101-FK-H-SIP (SIP/VoIP model)
 → JR101-FK-H-4G (4G model)
 → JR101-FK-H-3G (3G model)

JR103-FK-HB



Weatherproof Telephone, Full keypad, Yellow, With horn and beacon

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

→ JR103-FK-HB (Analog model)
 → JR103-FK-HB-SIP (SIP/VoIP model)
 → JR103-FK-HB-4G (4G model)
 → JR103-FK-HB-3G (3G model)

JR103-FK-H



Weatherproof Telephone, Full keypad, Yellow, With horn

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

JR103-FK-H (Analog model)
 JR103-FK-H-SIP (SIP/VoIP model)
 JR103-FK-H-4G (4G model)
 JR103-FK-H-3G (3G model)

JREX101



Explosion Proof Telephone,Full keypad,Orange,color(other colours on demand),with door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JREX101-Analog (Analog model)JREX101-SIP (SIP/VoIP model)

JREX101-CB



Explosion Proof Telephone, Hotline, Orange color (other colours on demand), with door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JREX101-CB-Analog (Analog model)JREX101-CB-SIP (SIP/VoIP model)

JREX103



Explosion Proof Telephone,Full keypad,Orange,color(other colours on demand),without door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JREX103-Analog (Analog model)JREX103-SIP (SIP/VoIP model)

JREX103-CB



Explosion Proof Telephone, Hotline, Orange color (other colours on demand), without door cover

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

→ JREX103-CB-Analog (Analog model)→ JREX103-CB-SIP (SIP/VoIP model)

JREX106



Explosion Proof Telephone, Stainless steel full keypad(20 keys), Yellow color(other colours on demand), with LCD display

Housed in a weatherproof GRP(Glass fibre-reinforced polyester) enclosure, IP67 rating

Order Code

JREX106-Analog (Analog model)JREX106-SIP (SIP/VoIP model)

JREX106-CB



Explosion Proof Telephone, Hotline, without keypad, Orange color (other colours on demand)

Housed in a weatherproof GRP(Glass fibre-reinforced polyester) enclosure, IP67 rating

Order Code

JREX106-CB-Analog (Analog model)JREX106-CB-SIP (SIP/VoIP model)

JREX101-HB



Explosion Proof Telephone,Full keypad,Orange color(other colours on demand),with door cover,with external Ex junction box,Ex Horn,Ex Beacon.

Housed in a weatherproof cast aluminium enclosure, IP66~IP67

Order Code

JREX101-HB-Analog (Analog model)JREX101-HB-SIP (SIP/VoIP model)

JREX106-HB



Explosion Proof Telephone, Stainless steel full keypad (20 keys), Orange color (other colours on demand), with LCD display

Housed in a weatherproof GRP(Glass fibre-reinforced polyester) enclosure, IP67 rating, with external Ex junction box, Ex Horn, Ex Beacon.

Order Code

JREX106-HB-Analog (Analog model)JREX106-HB-SIP (SIP/VoIP model)

Handset Telephones

JR201-FK



Handset Telephone, Full keypad, Gray color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR201-FK (Analog model)
 JR201-FK-SIP (SIP/VoIP model)
 JR201-FK-4G (4G model)
 JR201-FK-3G (3G model)

JR201-FK-VC



Handset Telephone, Full keypad, Brushed Stainless steel body, Wall mounted type. with volume control button

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR201-FK-VC (Analog model)
 JR201-FK-VC -SIP (SIP/VoIP model)
 JR201-FK-VC -4G (4G model)
 JR201-FK-VC -3G (3G model)

JR202-FK



Handset Telephone, Full keypad, Gray color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR202-FK (Analog model)
 JR202-FK-SIP (SIP/VoIP model)
 JR202-FK-4G (4G model)
 JR202-FK-3G (3G model)

JR202-CB



Handset Telephone, CB(Hotline), Gray, color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR202-CB (Analog model)
 JR202-CB-SIP (SIP/VoIP model)
 JR202-CB-4G (4G model)
 JR202-CB-3G (3G model)

JR203-FK



Handset Telephone, Full keypad, Gray, color and optional for Yellow, Red, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR203-FK (Analog model)
 JR203-FK-SIP (SIP/VoIP model)
 JR203-FK-4G (4G model)
 JR203-FK-3G (3G model)

JR204-FK



Handset Telephone, Full Keypad (16 keys), LCD display, Vandal Resistant steel body, Wall mounted type

Housed in a anti-vandal metal enclosure, wall mounting type, Red color and optional for Yellow, Blue, Gray

Order Code

JR204-FK (Analog model)
 JR204-FK-SIP (SIP/VoIP model)
 JR204-FK-4G (4G model)
 JR204-FK-3G (3G model)

JR205-FK



Handset Telephone, Full Keypad (16 keys), Brushed Stainless steel body, Wall mounted type

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR205-FK (Analog model)
 JR205-FK -SIP (SIP/VoIP model)
 JR205-FK -4G (4G model)
 JR205-FK -3G (3G model)

JR206-FK



Handset Telephone, Full keypad, Red color and optional for Yellow, Gray, Blue

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR206-FK (Analog model)
 JR206-FK-SIP (SIP/VoIP model)
 JR206-FK-4G (4G model)
 JR206-FK-3G (3G model)

JR207-FK



Handset Telephone, Full keypad(16 keys), Red color and optional for Yellow, Gray, Blue

Housed in a weatherproof, anti-vandal metal enclosure, designed for Wall-mounting

Order Code

JR207-FK (Analog model)
 JR207-FK-SIP (SIP/VoIP model)
 JR207-FK-4G (4G model)
 JR207-FK-3G (3G model)

JR208-FK



Handset Telephone, Full keypad, Stainless steel body

Housed in a anti-vandal metal enclosure, flush mounting type

Order Code

▶ JR208-FK (Analog model)
 ▶ JR208-FK-SIP (SIP/VoIP model)
 ▶ JR208-FK-4G (4G model)
 ▶ JR208-FK-3G (3G model)

JR208-CB



Handset Telephone, CB (hot line), Stainless steel body

Housed in a anti-vandal metal enclosure, flush mounting type

Order Code

JR208-CB (Analog model)
 JR208-CB-SIP (SIP/VoIP model)
 JR208-CB-4G (4G model)
 JR208-CB-3G (3G model)

JR209-FK



Handset Telephone, Full keypad (16 keys), Brushed Stainless steel body, Flush mounted type

Housed in a anti-vandal brushed stainless steel enclosure, flush mounting type

Order Code

JR209-FK (Analog model)
 JR209-FK -SIP (SIP/VoIP model)
 JR209-FK -4G (4G model)
 JR209-FK -3G (3G model)

JR210-1B



Handset Telephone, One button for speed dial, Vandal Resistant steel body, Wall mounted type

Housed in a weatherproof, anti-vandal metal enclosure, designed for Wall-mounting

Order Code

JR210-1B (Analog model)
 JR210-1B-SIP (SIP/VoIP model)
 JR210-1B-4G (4G model)
 JR210-1B-3G (3G model)

JR211-FK



Handset Telephone, Full Keypad (12 keys), Vandal Resistant steel body, Desk mounted type.

Housed in a anti-vandal brushed stainless steel enclosure, desk mounting type

Order Code

→ JR211-FK (Analog model)
 → JR211-FK-SIP (SIP/VoIP model)
 → JR211-FK-4G (4G model)
 → JR211-FK-3G (3G model)

JR211-CB



Handset Telephone, CB (hot line), Vandal Resistant steel body, Desk mounted type

Housed in a anti-vandal metal enclosure, desk mounting type, Red color and optional for Yellow, Blue, Gray

Order Code

JR211-CB (Analog model)
 JR211-CB -SIP (SIP/VoIP model)
 JR211-CB -4G (4G model)
 JR211-CB -3G (3G model)

JR212-FK



Handset Telephone, Full keypad, Brushed Stainless steel body, Wall mounted type. With volume control button and LCD display

Housed in a anti-vandal metal enclosure, wall mounting type

Order Code

JR212-FK (Analog model)
 JR212-FK-SIP (SIP/VoIP model)
 JR212-FK-4G (4G model)
 JR212-FK-3G (3G model)

JR213-V-2B



IP Video Telephone with 7" screen and built-in camera, Two speed buttons, constructed of stainless steel, wall mounting type

Order Code

> JR213-V-2B-SIP (SIP/VoIP model)

JR213-FK-SIP



IP Video Telephone with 10.1" screen and built-in camera, Full keypad, constructed of stainless steel, wall mounting type
Order Code

> JR213-FK-SIP (SIP/VoIP model)

Handsfree Telephones

JR301-SC

Emergency Telephone, 1 Button, Autodial, Wall Mounting



Housed in a weatherproof, Stainless Steel enclosure, designed for Wall-mounting

Order Code

JR301-SC (Analog model)
 JR301-SC-SIP (SIP/VoIP model)
 JR301-SC-4G (4G model)
 JR301-SC-3G (3G model)

JR301-2B

Emergency Telephone, 2 Buttons, Autodial, Wall Mounting



Housed in a weatherproof, Stainless Steel enclosure, designed for Wall-mounting

Order Code

→ JR301-2B (Analog model)
 → JR301-2B-SIP (SIP/VoIP model)
 → JR301-2B-4G (4G model)
 → JR301-2B-3G (3G model)

JR301-SC-IW

Emergency Telephone, 1Button, Autodial, Flush Mounting



Housed in a weatherproof, Stainless Steel enclosure, designed for Flush-mounting

Order Code

→ JR301-SC-IW (Analog model)
 → JR301-SC-IW -SIP (SIP/VoIP model)
 → JR301-SC-IW -4G (4G model)
 → JR301-SC-IW -3G (3G model)

JR301-2B-IW

Emergency Telephone, 2 Buttons, Autodial, Flush Mounting



Housed in a weatherproof, Stainless Steel enclosure, designed for Flush -mounting

Order Code

JR301-2B-IW (Analog model)
 JR301-2B-IW -SIP (SIP/VoIP model)
 JR301-2B-IW -4G (4G model)
 JR301-2B-IW -3G (3G model)

JR301-SC-C1



Video Telephone with built-in camera, One speed button, constructed of stainless steel, flush mounting type Order Code

> JR301-SC-C1-SIP (SIP/VoIP model)

JR301-SC-C2



Video Telephone with built-in camera, built-in induction loop, one speed button with braille label, constructed of stainless steel face plate and cold rolled steel back cover, wall mounting type

Order Code

➤ JR301-SC-C2-SIP (SIP/VoIP model)

JR302-SC



Emergency Telephone, 1Button, Autodial, Wall Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for Wall-mounting

Order Code

JR302-SC (Analog model)
 JR302-SC-SIP (SIP/VoIP model)
 JR302-SC-4G (4G model)

> JR302-SC-3G (3G model)

JR304-SC





Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting

Order Code

> JR304-SC (Analog model)

> JR304-SC-SIP (SIP/VoIP model)

JR304-SC-4G (4G model)

JR304-SC-3G (3G model)

JR305-SC



Emergency Telephone, 1 Button, Autodial, Wall Mounting

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting or post mounting

Order Code

JR305-SC (Analog model)
 JR305-SC-SIP (SIP/VoIP model)
 JR305-SC-4G (4G model)
 JR305-SC-3G (3G model)

JR306-SC



Emergency Telephone, 1 Button, Autodial, Wall Mounting

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting or post mounting

Order Code

→ JR306-SC (Analog model)
 → JR306-SC-SIP (SIP/VoIP model)
 → JR306-SC-4G (4G model)
 → JR306-SC-3G (3G model)

JR309-FK



Emergency Telephone, Full keypad, Flush Mounting

Housed in a weatherproof, Stainless Steel enclosure, full keypad, flush-mounting

Order Code

JR309-FK (Analog model)
 JR309-FK-SIP (SIP/VoIP model)
 JR309-FK-4G (4G model)
 JR309-FK-3G (3G model)

JR308-FK



Emergency Telephone, Full keypad, Wall Mounting

Housed in a weatherproof, Stainless Steel enclosure, designed for wall-mounting

Order Code

▶ JR308-FK (Analog model)
 ▶ JR308-FK-SIP (SIP/VoIP model)
 ▶ JR308-FK-4G (4G model)
 ▶ JR308-FK-3G (3G model)

JR313-SC



Emergency Telephone, 1 Button, Autodial, Wall Mounting, Yellow and optional for Yellow, Red, Blue.

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting.

Order Code

JR313-SC (Analog model)
 JR313-SC-SIP (SIP/VoIP model)
 JR313-SC-4G (4G model)
 JR313-SC-3G (3G model)

JR313-2B



Emergency Telephone, 2 Buttons, Autodial, Wall Mounting, Red color and optional for Yellow, Blue, Gray

Housed in a weatherproof, anti-vandal metal enclosure, designed for on wall -mounting

Order Code

JR313-2B (Analog model)
 JR313-2B -SIP (SIP/VoIP model)
 JR313-2B -4G (4G model)
 JR313-2B -3G (3G model)

JR314-SC



Emergency Telephone, 1 Button, Autodial, Flush Mounting, Red and optional for Yellow, Gray, Blue.

Housed in a weatherproof, anti-vandal metal enclosure, designed for flush-mounting

Order Code

JR314-SC (Analog model)
 JR314-SC-SIP (SIP/VoIP model)
 JR314-SC-4G (4G model)
 JR314-SC-3G (3G model)

JR505-SC





Housed in a weatherproof, anti-vandal metal enclosure, designed for wall -mounting

Order Code

JR505-SC (Analog model)
 JR505-SC-SIP (SIP/VoIP model)
 JR505-SC-4G (4G model)
 JR505-SC-3G (3G model)

JR320-SC



Emergency Telephone, 1Button, Autodial, with LED lamp, Blue and color optional for Red, Yellow

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall-mounting or post mounting

Order Code

JR320-SC (Analog model)
 JR320-SC-SIP (SIP/VoIP model)
 JR320-SC-4G (4G model)
 JR320-SC-3G (3G model)

JR321-SC



Emergency Telephone, 1Button, Autodial, Post Mounting, with lamp, Blue color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Standing along-mounting

Order Code

JR321-SC (Analog model)
 JR321-SC-SIP (SIP/VoIP model)
 JR321-SC-4G (4G model)
 JR321-SC-3G (3G model)

JR321-SC-SP



Emergency Telephone, 1 Button, Autodial, Post Mounting, with lamp and solar panel, Blue color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Stand along-mounting

Order Code

JR321-SC-SP (Analog model)
 JR321-SC-SP-SIP (SIP/VoIP model)
 JR321-SC-SP-4G (4G model)
 JR321-SC-SP-3G (3G model)

JR330-SC



Emergency Telephone, 1 Buttons, Autodial, Wall Mounting, Orange color, with lock key for open the door

Housed in a weatherproof, anti-vandal metal enclosure, designed for wall –mounting or post mounting

Order Code

JR330-SC (Analog model)
 JR330-SC-SIP (SIP/VoIP model)
 JR330-SC-4G (4G model)
 JR330-SC-3G (3G model)

JR316-4B



Industrial Intercom, 4Buttons, Autodial, Column Mounting, suitable for outdoor application, Orange color

Housed in a weatherproof, anti-vandal metal enclosure, designed for Column-mounting

Order Code

JR316-4B (Analog model)JR316-4B -SIP (SIP/VoIP model)

JR316-4B -4G (4G model)JR316-4B -3G (3G model)

JR306-SC-SP



Emergency Telephone, 1Button, Autodial, Column Mounting, with LED light and solar panel, Orange color (other colours on demand)

Housed in a weatherproof, anti-vandal metal enclosure, designed for Column-mounting

Order Code

JR306-SC-SP (Analog model)
 JR306-SC-SIP-SP (SIP/VoIP model)
 JR306-SC-4G-SP (4G model)

> JR306-SC-3G-SP (3G model)

JR315-SC



Emergency Help Point, 2Buttons, Autodial, with built-in induction loop, Column Mounting

Housed in a weatherproof, anti-vandal brushed stainless steel enclosure, designed for Column-mounting

Order Code

JR315-SC (Analog model)
 JR315-SC-SIP (SIP/VoIP model)
 JR315-SC-4G (4G model)

JR-TP-01

Emergency Telephone Pillar, painted for outdoor use.

(3G model)



JR315-SC-3G



Sleek and harmonious design free of sharp edges Prepared for the containment of auxiliary circuits

Material:Made of galvanized steel,painted for outdoor using.It can be manufactured in stainless steel AIS304/AIS316L on demand.

Colour:yellow(other colours on demand)

Weight:20 kg Dimensions(mm):1500 x 300x 300 mm

Fixing:on floor

JR-TP-02



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material:Made of galvanized steel,It can be manufactured in stainless steel

AIS304/AIS316L on demand.

Colour:yellow(other colours on demand)

Weight:25 kg Dimensions(mm):1500 x 300 x 300 mm

Fixing:on floor

JR-TP-03



Emergency Telephone Pillar, painted for outdoor use. Can choose to add LED lights

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

Material:Made of galvanized steel,It can be manufactured in stainless steel

AIS304/AIS316L on demand

Colour:Red(other colours on demand)

Weight:30 kg Dimensions(mm):1500 x 436 x 306 mm

Fixing:on floor

JR-TP-04



Emergency Telephone Pillar, painted for outdoor use.

Mechanical characteristics:

Sleek and harmonious design free of sharp edges

Prepared for the containment of auxiliary circuits

With Solar panel mounting bracket which is adjustable on multiple directions

Material:Made of galvanized steel,It can be manufactured in stainless steel

AIS304/AIS316L on demand.

Colour:Orange(other colours on demand)

Weight:45kg Dimensions(mm):2400 x 436 x 306 mm

Fixing:on floor

Emergency Telephones Pillar

JR-TH-01



Acoustic insulation: Noise Attenuation up to 23 dB

Polyethylene plastic construction

Durable, lightweight, chemical resistant body Excellent low temperatures impact properties

High performance polyurethane acoustic insulation liner, resistant to mildew and rot

Fire retardant class "0" rating Wall or pillar installation

Can be used both indoors, outdoors and offshore

Optional colors available upon request

Weight: 25 kg Dimensions(mm):500 x 680x 780 mm

JR-TH-02



Acoustic insulation: Noise Attenuation up to 15 dB

Polyethylene plastic construction

Durable, lightweight, chemical resistant body

Excellent low temperatures impact properties

Can be used both indoors, outdoors and offshore

Wall or pillar installation

Optional colors available upon request

Weight: 20 kg Dimensions(mm):480 x 690x 800 mm

JR-TH-04



Acoustic insulation: Noise Attenuation up to 15 dB

Polyethylene plastic construction

Durable, lightweight, chemical resistant body Excellent low temperatures impact properties Can be used both indoors, outdoors and offshore

Wall or pillar installation

Optional colors available upon request

Weight: 18 kg Dimensions(mm):640 x 580x 260 mm

JR-TH-03



Standalone booth

Robust metal construction

Contain an inside lamp

Fancy looking and modern

Waterproof, can be used outdoors

Noise reduction with door Up to 38dB

Noise reduction without door Up to 25dB

Optional colors and dimension available upon request

Weight: 300 kg Dimensions(mm):1100 x 1100x 2400 mm

JR-BS-01



Beacon Sounder, robust engineering plastics construction, built-in 8ohm 10 watt speaker, DC12 powered

Order Code

- > JR-BS-01 (Analog model)
- > JR-BS-01-SIP (SIP/VoIP model)

JRSP-SIP-01



SIP Speaker, robust engineering plastics construction, built-in 25 W Class D amplifier, Power over Ethernet (PoE) power supply

Order Code

> JRSP-SIP-01 (SIP model)